



Study of the air-formed oxide layer at the copper surface and its impact on the copper corrosion in an aggressive chloride medium

Submitted by Charles Cougnon on Tue, 07/03/2018 - 12:09

Titre	Study of the air-formed oxide layer at the copper surface and its impact on the copper corrosion in an aggressive chloride medium
Type de publication	Article de revue
Auteur	Touzé, Ewen [1], Charles, Cougnon [2]
Editeur	Elsevier
Type	Article scientifique dans une revue à comité de lecture
Année	2018
Langue	Anglais
Date	1er Fév. 2018
Pagination	206-213
Volume	262
Titre de la revue	Electrochimica Acta
ISSN	0013-4686
Mots-clés	Copper [3], Corrosion [4], Cupric ions [5], Cuprous ions [6], Oxidation [7]
Résumé en anglais	<p>The electrochemical behaviour of pre-oxidized copper surfaces prepared by heating in air at 90 °C was studied to evaluate the impact of the air-formed oxide layer at the copper surface on the corrosion in an aggressive chloride medium. In a first part, the evolution of the chemical composition and the structure of the air-formed oxide layer with the heating time were investigated by cyclic voltammetry in an alkaline medium in which the different oxide species can be discriminated, X-ray photoelectrons spectroscopy experiments (XPS) and water contact angle measurements. It was demonstrated that short heating times produce Cu₂O-rich films, while CuO-rich films were obtained after long heating-time periods. Furthermore, cyclic voltammetric data strongly support a stratification of the corrosion products in the mature oxide layer. In a second part, the protection efficiency of air-formed films, aged from 1 to 22 days, against the copper corrosion was study using a potentiodynamic technique and the electrochemical impedance spectroscopy (EIS) in an aerated 0.2 M NaCl aqueous electrolyte. Results demonstrate that the chemical composition of the air-formed oxide layer has an important impact in the overall corrosion process. Results are tentatively explained in terms of composition and structure of the oxide layer.</p>
URL de la notice	http://okina.univ-angers.fr/publications/ua17214 [8]
DOI	10.1016/j.electacta.2017.12.187 [9]
Lien vers le document	https://www.sciencedirect.com/science/article/pii/S0013468617327615?via%... [10]

- [1] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=26505>
- [2] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=20587>
- [3] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=137>
- [4] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=5976>
- [5] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=24883>
- [6] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=24882>
- [7] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=12276>
- [8] <http://okina.univ-angers.fr/publications/ua17214>
- [9] <http://dx.doi.org/10.1016/j.electacta.2017.12.187>
- [10] <https://www.sciencedirect.com/science/article/pii/S0013468617327615?via%3Dihub>

Publié sur *Okina* (<http://okina.univ-angers.fr>)